

# CNC Slitter Knives & Circular Knives Grinder( CVH-500 1A)

## SPECIFICATION

Saw Blade Diameter: Ø35 ~ Ø500mm

Grinding Wheel Diameter: Ø1120 ~ Ø255 mm

Grinding Wheel Bore: Ø31.75 mm

Grinding Wheel Thickness:25 mm

Grinding Wheel Motor: 1.75 kw

Grinding Wheel Rotation Speed: 2,500 ~ 6,000rpm

X-axis Motor: AC Servomotor

Coolant Pump Motor: 0.4 kw

Oil Mist Recycle Device:0.55 kw

Magnetic Filter:25w

Power Required: 3.6 kw

Net Weight:1100kg

Gross Weight:1460 kg

Packing Dimensions: 1,760 x 1,830 x 1,980mm (W x H x D)

## Knives & Circular Knives Grinder ( CVH-500 2A)

### SPECIFICATION

Saw Blade Diameter: Ø35 ~ Ø500mm

Grinding Wheel Diameter: Ø1120 ~ Ø255 mm

Grinding Wheel Bore: Ø31.75 mm

Grinding Wheel Thickness:25 mm

Grinding Wheel Motor: 1.75 kw

Grinding Wheel Rotation Speed: 2,500 ~ 6,000rpm

X-axis Motor: AC Servomotor

Z-axis Motor: AC Servomotor

Coolant Pump Motor: 0.4 kw

Oil Mist Recycle Device:0.55 kw

Magnetic Filter:25w

Power Required: 4.0 kw

Net Weight:1100kg

Gross Weight:1460 kg

Packing Dimensions: 1,760 x 1,830 x 1,980mm (W x H x D)

# CNC Slitter Knives & Circular Knives Grinder ( CVH-500 3A)

## SPECIFICATION

Saw Blade Diameter: Ø35 ~ Ø500mm

Grinding Wheel Diameter: Ø1120 ~ Ø255 mm

Grinding Wheel Bore: Ø31.75 mm

Grinding Wheel Thickness:25 mm

Grinding Wheel Motor: 1.75 kw

Grinding Wheel Rotation Speed: 2,500 ~ 6,000rpm

X-axis Motor: AC Servomotor

Z-axis Motor: AC Servomotor

B-axis Motor: AC Servomotor

Coolant Pump Motor: 0.4 kw

Oil Mist Recycle Device:0.55 kw

Magnetic Filter:25w

Power Required: 4.4 kw

Net Weight:1100kg

Gross Weight:1460 kg

Packing Dimensions: 1,760 x 1,830 x 1,980mm (W x H x D)

