

Thread Gauge



Metric Thread : ISO 6H & 6g (JIS B0251) P-01

限界螺紋栓(環)規 Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : ISO 6H & 6g (JIS B0251)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
M 2 X 0.4	PM-6H002-1	1.7415	1.8390	RM-6g002-1	1.7280	1.6440	●
M 3 X 0.5	PM-6H003A	2.6765	2.7840	RM-6g003A	2.6620	2.5700	●
M 3.5 X 0.6	PM-6H003-5	3.1115	3.2310	RM-6g003-5	3.0940	2.9900	●
M 4 X 0.5	PM-6H004A	3.6765	3.7840	RM-6g004A	3.6620	3.5700	●
M 4 X 0.7	PM-6H0047	3.5465	3.6720	RM-6g0047	3.5280	3.4190	●
M 4.5 X 0.75	PM-6H0045M	4.0145	4.1400	RM-6g0045M	3.9960	3.8870	●
M 5 X 0.5	PM-6H005A	4.6765	4.7840	RM-6g005A	4.6620	4.5700	●
M 5 X 0.8	PM-6H0058	4.4815	4.6140	RM-6g0058	4.4610	4.3470	●
M 6 X 0.75	PM-6H006M	5.5195	5.6560	RM-6g006M	5.4960	5.3770	●
M 6 X 1.0	PM-6H006B	5.3565	5.5110	RM-6g006B	5.3290	5.1980	●
M 7 X 0.75	PM-6H007M	6.5195	6.6560	RM-6g007M	6.4960	6.3770	●
M 8 X 0.75	PM-6H008M	7.5195	7.6560	RM-6g008M	7.4960	7.3770	●
M 8 X 1.0	PM-6H008B	7.3565	7.5110	RM-6g008B	7.3290	7.1980	●
M 8 X 1.25	PM-6H008N	7.1945	7.3590	RM-6g008N	7.1650	7.0280	●
M 9 X 0.75	PM-6H009M	8.5195	8.6560	RM-6g009M	8.4960	8.3770	●
M 9 X 1.0	PM-6H009B	8.3565	8.5110	RM-6g009B	8.3290	8.1980	●
M 10 X 0.75	PM-6H010M	9.5195	9.6560	RM-6g010M	9.4960	9.3770	●
M 10 X 1.0	PM-6H010B	9.3565	9.5110	RM-6g010B	9.3290	9.1980	●
M 10 X 1.25	PM-6H010N	9.1945	9.3590	RM-6g010N	9.1650	9.0280	●
M 10 X 1.5	PM-6H010C	9.0325	9.2170	RM-6g010C	8.9950	8.8440	●
M 11 X 0.75	PM-6H011M	10.5195	10.6560	RM-6g011M	10.4960	10.3770	●
M 11 X 1.0	PM-6H011B	10.3565	10.5110	RM-6g011B	10.3290	10.1980	●
M 12 X 1.0	PM-6H012B	11.3565	11.5210	RM-6g012B	11.3290	11.1920	●
M 12 X 1.25	PM-6H012N	11.1945	11.3790	RM-6g012N	11.1610	11.0100	●
M 12 X 1.5	PM-6H012C	11.0325	11.2270	RM-6g012C	10.9950	10.8360	●
M 12 X 1.75	PM-6H012P	10.8695	11.0740	RM-6g012P	10.8300	10.6610	●
M 14 X 1.0	PM-6H014B	13.3565	13.5210	RM-6g014B	13.3290	13.1920	●
M 14 X 1.5	PM-6H014C	13.0325	13.2270	RM-6g014C	12.9950	12.8360	●
M 14 X 2.0	PM-6H014D	12.7100	12.9270	RM-6g014D	12.6640	12.4850	●
M 15 X 1.0	PM-6H015B	14.3565	14.5210	RM-6g015B	14.3290	14.1920	●
M 15 X 1.5	PM-6H015C	14.0325	14.2270	RM-6g015C	13.9950	13.8360	●
M 16 X 1.0	PM-6H016B	15.3565	15.5210	RM-6g016B	15.3290	15.1920	●
M 16 X 1.5	PM-6H016C	15.0325	15.2270	RM-6g016C	14.9950	14.8360	●
M 16 X 2.0	PM-6H016D	14.7100	14.9270	RM-6g016D	14.6640	14.4850	●
M 17 X 1.0	PM-6H017B	16.3565	16.5210	RM-6g017B	16.3290	16.1920	●
M 17 X 1.5	PM-6H017C	16.0325	16.2270	RM-6g017C	15.9950	15.8360	●

● 有 ● 者備有庫存。
● means we have the item in stock.

-01-

● 無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

Metric Thread : ISO 6H & 6g (JIS B0251) P-02

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : ISO 6H & 6g (JIS B0251)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
M 18 X 1.0	PM-6H018B	17.3565	17.5210	RM-6g018B	17.3290	17.1920	●
M 18 X 1.5	PM-6H018C	17.0325	17.2270	RM-6g018C	16.9950	16.8360	●
M 18 X 2.0	PM-6H018D	16.7100	16.9270	RM-6g018D	16.6640	16.4850	●
M 18 X 2.5	PM-6H018E	16.3850	16.6140	RM-6g018E	16.3350	16.1460	●
M 20 X 1.0	PM-6H020B	19.3565	19.5210	RM-6g020B	19.3290	19.1920	●
M 20 X 1.5	PM-6H020C	19.0325	19.2270	RM-6g020C	18.9950	18.8360	●
M 20 X 2.0	PM-6H020D	18.7100	18.9270	RM-6g020D	18.6640	18.4850	●
M 20 X 2.5	PM-6H020E	18.3850	18.6140	RM-6g020E	18.3350	18.1460	●
M 22 X 1.0	PM-6H022B	21.3565	21.5210	RM-6g022B	21.3290	21.1920	●
M 22 X 1.5	PM-6H022C	21.0325	21.2270	RM-6g022C	20.9950	20.8360	●
M 22 X 2.0	PM-6H022D	20.7100	20.9270	RM-6g022D	20.6640	20.4850	●
M 22 X 2.5	PM-6H022E	20.3850	20.6140	RM-6g022E	20.3350	20.1460	●
M 24 X 1.0	PM-6H024B	23.3565	23.5310	RM-6g024B	23.3290	23.1850	●
M 24 X 1.5	PM-6H024C	23.0325	23.2370	RM-6g024C	22.9950	22.8260	●
M 24 X 2.0	PM-6H024D	22.7100	22.9390	RM-6g024D	22.6640	22.4750	●
M 24 X 3.0	PM-6H024F	22.0600	22.3300	RM-6g024F	22.0040	21.7850	●
M 25 X 1.0	PM-6H025B	24.3565	24.5310	RM-6g025B	24.3290	24.1850	●
M 25 X 1.5	PM-6H025C	24.0325	24.2370	RM-6g025C	23.9950	23.8260	●
M 25 X 2.0	PM-6H025D	23.7100	23.9390	RM-6g025D	23.6640	23.4750	●
M 26 X 1.5	PM-6H026C	25.0325	25.2370	RM-6g026C	24.9950	24.8260	●
M 27 X 1.0	PM-6H027B	26.3565	26.5310	RM-6g027B	26.3290	26.1850	●
M 27 X 1.5	PM-6H027C	26.0325	26.2370	RM-6g027C	25.9950	25.8260	●
M 27 X 2.0	PM-6H027D	25.7100	25.9390	RM-6g027D	25.6640	25.4750	●
M 27 X 3.0	PM-6H027F	25.0600	25.3300	RM-6g027F	25.0040	24.7850	●
M 28 X 1.0	PM-6H028B	27.3565	27.5310	RM-6g028B	27.3290	27.1850	●
M 28 X 1.5	PM-6H028C	27.0325	27.2370	RM-6g028C	26.9950	26.8260	●
M 28 X 2.0	PM-6H028D	26.7100	26.9390	RM-6g028D	26.6640	26.4750	●
M 30 X 1.0	PM-6H030B	29.3565	29.5310	RM-6g030B	29.3290	29.1850	●
M 30 X 1.5	PM-6H030C	29.0325	29.2370	RM-6g030C	28.9950	28.8260	●
M 30 X 2.0	PM-6H030D	28.7100	28.9390	RM-6g030D	28.6640	28.4750	●
M 30 X 3.0	PM-6H030F	28.0600	28.3300	RM-6g030F	28.0040	27.7850	●
M 30 X 3.5	PM-6H030G	27.7360	28.0210	RM-6g030G	27.6735	27.4390	●
M 32 X 1.5	PM-6H032C	31.0325	31.2370	RM-6g032C	30.9950	30.8260	●
M 32 X 2.0	PM-6H032D	30.7100	30.9390	RM-6g032D	30.6640	30.4750	●
M 33 X 1.5	PM-6H033C	32.0325	32.2370	RM-6g033C	31.9950	31.8260	●
M 33 X 2.0	PM-6H033D	31.7100	31.9390	RM-6g033D	31.6640	31.4750	●

※有●者備有庫存。

● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

Metric Thread : ISO 6H & 6g (JIS B0251) P-03

限界螺紋栓(環)規 Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : ISO 6H & 6g (JIS B0251)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages ● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
M 33 X 3.5	PM-6H033G	30.7360	31.0210	RM-6g033G	30.6735	30.4390	
M 35 X 1.5	PM-6H035C	34.0325	34.2370	RM-6g035C	33.9950	33.8260	●
M 36 X 1.5	PM-6H036C	35.0325	35.2370	RM-6g036C	34.9950	34.8260	●
M 36 X 2.0	PM-6H036D	34.7100	34.9390	RM-6g036D	34.6640	34.4750	
M 36 X 3.0	PM-6H036F	34.0600	34.3300	RM-6g036F	34.0040	33.7850	
M 36 X 4.0	PM-6H036H	33.4110	33.7160	RM-6g036H	33.3415	33.0950	
M 38 X 1.5	PM-6H038C	37.0325	37.2370	RM-6g038C	36.9950	36.8260	●
M 39 X 1.5	PM-6H039C	38.0325	38.2370	RM-6g039C	37.9950	37.8260	
M 39 X 2.0	PM-6H039D	37.7100	37.9390	RM-6g039D	37.6640	37.4750	
M 39 X 3.0	PM-6H039F	37.0600	37.3300	RM-6g039F	37.0040	36.7850	
M 39 X 4.0	PM-6H039H	36.4110	36.7160	RM-6g039H	36.3415	36.0950	
M 40 X 1.5	PM-6H040C	39.0325	39.2370	RM-6g040C	38.9950	38.8260	●
M 40 X 2.0	PM-6H040D	38.7100	38.9390	RM-6g040D	38.6640	38.4750	
M 42 X 1.5	PM-6H042C	41.0325	41.2370	RM-6g042C	40.9950	40.8260	
M 42 X 2.0	PM-6H042D	40.7100	40.9390	RM-6g042D	40.6640	40.4750	
M 42 X 3.0	PM-6H042F	40.0600	40.3300	RM-6g042F	40.0040	39.7850	
M 42 X 4.5	PM-6H042I	39.0860	39.4060	RM-6g042I	39.0135	38.7550	
M 45 X 1.5	PM-6H045C	44.0325	44.2370	RM-6g045C	43.9950	43.8260	●
M 45 X 2.0	PM-6H045D	43.7100	43.9390	RM-6g045D	43.6640	43.4750	
M 45 X 4.5	PM-6H045I	42.0860	42.4060	RM-6g045I	42.0135	41.7550	
M 48 X 1.5	PM-6H048C	47.0350	47.2520	RM-6g048C	46.9950	46.8160	
M 48 X 2.0	PM-6H048D	46.7100	46.9510	RM-6g048D	46.6640	46.4650	
M 48 X 5.0	PM-6H048J	44.7670	45.1050	RM-6g048J	44.6805	44.4080	
M 50 X 1.5	PM-6H050C	49.0350	49.2520	RM-6g050C	48.9950	48.8160	●
M 50 X 2.0	PM-6H050D	48.7100	48.9510	RM-6g050D	48.6640	48.4650	
M 50 X 3.0	PM-6H050F	48.0600	48.3450	RM-6g050F	48.0025	47.7680	
M 52 X 1.5	PM-6H052C	51.0350	51.2520	RM-6g052C	50.9950	50.8160	
M 52 X 2.0	PM-6H052D	50.7100	50.9510	RM-6g052D	50.6640	50.4650	
M 52 X 5.0	PM-6H052J	48.7670	49.1050	RM-6g052J	48.6805	48.4080	
M 55 X 1.5	PM-6H055C	54.0350	54.2520	RM-6g055C	53.9950	53.8160	
M 55 X 2.0	PM-6H055D	53.7100	53.9510	RM-6g055D	53.6640	53.4650	
M 56 X 1.5	PM-6H056C	55.0350	55.2520	RM-6g056C	54.9950	54.8160	
M 56 X 5.5	PM-6H056K	52.4430	52.8010	RM-6g056K	52.3525	52.0650	
M 58 X 1.5	PM-6H058C	57.0350	57.2520	RM-6g058C	56.9950	56.8160	
M 60 X 1.5	PM-6H060C	59.0350	59.2520	RM-6g060C	58.9950	58.8160	
M 60 X 5.5	PM-6H060K	56.4430	56.8010	RM-6g060K	56.3525	56.0650	

● 備有庫存。
● means we have the item in stock.

-03-

● 無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

Metric Thread : ISO 6H & 6g (JIS B0251) P-04

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

mm

M 公制螺紋 Metric Thread : ISO 6H & 6g (JIS B0251)

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
M 62 X 1.5	PM-6H062C	61.0350	61.2520	RM-6g062C	60.9950	60.8160	● 備有庫存 in stock
M 64 X 1.5	PM-6H064C	63.0350	63.2520	RM-6g064C	62.9950	62.8160	
M 64 X 6.0	PM-6H064L	60.1180	60.4960	RM-6g064L	60.0225	59.7200	
M 65 X 1.5	PM-6H065C	64.0350	64.2520	RM-6g065C	63.9950	63.8160	
M 68 X 1.5	PM-6H068C	67.0350	67.2520	RM-6g068C	66.9950	66.8160	
M 68 X 6.0	PM-6H068L	64.1180	64.4960	RM-6g068L	64.0225	63.7200	
M 70 X 1.5	PM-6H070C	69.0350	69.2520	RM-6g070C	68.9950	68.8160	
M 75 X 1.5	PM-6H075C	74.0350	74.2520	RM-6g075C	73.9950	73.8160	
M 76 X 1.5	PM-6H076C	75.0350	75.2520	RM-6g076C	74.9950	74.8160	
M 80 X 1.5	PM-6H080C	79.0350	79.2520	RM-6g080C	78.9950	78.8160	
M 80 X 2.0	PM-6H080D	78.7100	78.9510	RM-6g080D	78.6640	78.4650	
M 80 X 6.0	PM-6H080L	76.1180	76.4960	RM-6g080L	76.0225	75.7200	
M 82 X 2.0	PM-6H082D	80.7100	80.9510	RM-6g082D	80.6640	80.4650	
M 85 X 2.0	PM-6H085D	83.7100	83.9510	RM-6g085D	83.6640	83.4650	
M 85 X 6.0	PM-6H085L	81.1180	81.4960	RM-6g085L	81.0225	80.7200	
M 90 X 2.0	PM-6H090D	88.7100	88.9510	RM-6g090D	88.6640	88.4650	
M 90 X 6.0	PM-6H090L	86.1180	86.4960	RM-6g090L	86.0225	85.7200	
M 95 X 2.0	PM-6H095D	93.7100	93.9650	RM-6g095D	93.6640	93.4550	
M 95 X 6.0	PM-6H095L	91.1180	91.5210	RM-6g095L	91.0225	90.7000	
M 100 X 2.0	PM-6H100D	98.7100	98.9650	RM-6g100D	98.6640	98.4550	
M 100 X 6.0	PM-6H100L	96.1180	96.5210	RM-6g100L	96.0225	95.7000	
M 105 X 2.0	PM-6H105D	103.7100	103.9650	RM-6g105D	103.6640	103.4550	
M 105 X 6.0	PM-6H105L	101.1180	101.5210	RM-6g105L	101.0225	100.7000	
M 110 X 2.0	PM-6H110D	108.7100	108.9650	RM-6g110D	108.6640	108.4550	
M 110 X 6.0	PM-6H110L	106.1180	106.5210	RM-6g110L	106.0225	105.7000	
M 115 X 2.0	PM-6H115D	113.7100	113.9650	RM-6g115D	113.6640	113.4550	
M 115 X 6.0	PM-6H115L	111.1180	111.5210	RM-6g115L	111.0225	110.7000	
M 120 X 2.0	PM-6H120D	118.7100	118.9650	RM-6g120D	118.6640	118.4550	
M 120 X 6.0	PM-6H120L	116.1180	116.5210	RM-6g120L	116.0225	115.7000	
M 125 X 2.0	PM-6H125D	123.7100	123.9650	RM-6g125D	123.6640	123.4550	
M 125 X 6.0	PM-6H125L	121.1180	121.5210	RM-6g125L	121.0225	120.7000	
M 130 X 2.0	PM-6H130D	128.7100	128.9650	RM-6g130D	128.6640	128.4550	
M 130 X 6.0	PM-6H130L	126.1180	126.5210	RM-6g130L	126.0225	125.7000	
M 135 X 2.0	PM-6H135D	133.7100	133.9650	RM-6g135D	133.6640	133.4550	
M 135 X 6.0	PM-6H135L	131.1180	131.5210	RM-6g135L	131.0225	130.7000	
M 140 X 2.0	PM-6H140D	138.7100	138.9650	RM-6g140D	138.6640	138.4550	
M 140 X 6.0	PM-6H140L	136.1180	136.5210	RM-6g140L	136.0225	135.7000	
M 145 X 2.0	PM-6H145D	143.7100	143.9650	RM-6g145D	143.6640	143.4550	
M 145 X 6.0	PM-6H145L	141.1180	141.5210	RM-6g145L	141.0225	140.7000	
M 150 X 2.0	PM-6H150D	148.7100	148.9650	RM-6g150D	148.6640	148.4550	
M 150 X 6.0	PM-6H150L	146.1180	146.5210	RM-6g150L	146.0225	145.7000	

● 備有●者備有庫存。

● means we have the item in stock.

-04-

※無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

Metric Thread : JIS II (JIS B0251 B0252) P-05

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : JIS II (JIS B0251 B0252)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
M 2 X 0.4	PM-W2002-1	1.744	1.810	RM-W2002-1	1.708	1.660	●
M 3 X 0.5	PM-W2003A	2.679	2.775	RM-W2003A	2.643	2.580	●
M3.5 X 0.6	PM-W2003-5	3.114	3.200	RM-W2003-5	3.068	3.010	●
M 4 X 0.5	PM-W2004A	3.679	3.775	RM-W2004A	3.633	3.555	●
M 4 X 0.7	PM-W20047	3.549	3.663	RM-W20047	3.511	3.433	●
M4.5 X 0.75	PM-W20045M	4.017	4.113	RM-W20045M	3.971	3.893	●
M 5 X 0.5	PM-W2005A	4.679	4.775	RM-W2005A	4.633	4.555	●
M 5 X 0.8	PM-W20058	4.484	4.605	RM-W20058	4.444	4.361	●
M 6 X 0.75	PM-W2006M	5.517	5.613	RM-W2006M	5.471	5.393	●
M 6 X 1.0	PM-W2006B	5.354	5.470	RM-W2006B	5.308	5.220	●
M 7 X 0.75	PM-W2007M	6.517	6.613	RM-W2007M	6.471	6.393	●
M 8 X 0.75	PM-W2008M	7.517	7.633	RM-W2008M	7.471	7.383	●
M 8 X 1.0	PM-W2008B	7.534	7.470	RM-W2008B	7.308	7.220	●
M 8 X 1.25	PM-W2008N	7.192	7.318	RM-W2008N	7.136	7.038	●
M 9 X 0.75	PM-W2009M	8.517	8.633	RM-W2009M	8.471	8.383	●
M 9 X 1.0	PM-W2009B	8.354	8.470	RM-W2009B	8.308	8.220	●
M 10 X 0.75	PM-W2010M	9.517	9.645	RM-W2010M	9.479	9.393	●
M 10 X 1.0	PM-W2010B	9.354	9.480	RM-W2010B	9.308	9.210	●
M 10 X 1.25	PM-W2010N	9.192	10.318	RM-W2010N	9.136	9.038	●
M 10 X 1.5	PM-W2010C	9.030	9.166	RM-W2010C	8.974	8.866	●
M 11 X 0.75	PM-W2011M	10.517	10.645	RM-W2011M	10.479	10.391	●
M 11 X 1.0	PM-W2011B	10.354	10.480	RM-W2011B	10.308	10.210	●
M 12 X 1.0	PM-W2012B	11.354	11.490	RM-W2012B	11.295	11.190	●
M 12 X 1.25	PM-W2012N	11.193	11.368	RM-W2012N	11.145	11.028	●
M 12 X 1.5	PM-W2012C	11.031	11.176	RM-W2012C	10.971	10.856	●
M 12 X 1.75	PM-W2012P	10.867	11.023	RM-W2012P	10.801	10.683	●
M 14 X 1.0	PM-W2014B	13.355	13.490	RM-W2014B	13.295	13.190	●
M 14 X 1.5	PM-W2014C	13.031	13.176	RM-W2014C	12.971	12.856	●
M 14 X 2.0	PM-W2014D	12.705	12.871	RM-W2014D	12.639	12.511	●
M 15 X 1.0	PM-W2015B	14.355	14.490	RM-W2015B	14.295	14.190	●
M 15 X 1.5	PM-W2015C	14.031	14.176	RM-W2015C	13.971	13.856	●
M 16 X 1.0	PM-W2016B	15.355	15.490	RM-W2016B	15.295	15.190	●
M 16 X 1.5	PM-W2016C	15.031	15.176	RM-W2016C	14.971	14.856	●
M 16 X 2.0	PM-W2016D	14.705	14.871	RM-W2016D	14.639	14.511	●
M 17 X 1.0	PM-W2017B	16.355	16.510	RM-W2017B	16.309	16.206	●
M 17 X 1.5	PM-W2017C	16.031	16.216	RM-W2017C	15.979	15.854	●

※有●者備有庫存。

● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

Metric Thread : JIS II (JIS B0251 B0252) P-06

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : JIS II (JIS B0251 B0252)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
M 18 X 1.0	PM-W2018B	17.355	17.500	RM-W2018B	17.295	17.180	●
M 18 X 1.5	PM-W2018C	17.031	17.196	RM-W2018C	16.961	16.826	●
M 18 X 2.0	PM-W2018D	16.706	16.881	RM-W2018D	16.636	16.491	●
M 18 X 2.5	PM-W2018E	16.382	16.566	RM-W2018E	16.310	16.166	●
M 20 X 1.0	PM-W2020B	19.355	19.500	RM-W2020B	19.295	19.180	●
M 20 X 1.5	PM-W2020C	19.031	19.196	RM-W2020C	18.961	18.826	●
M 20 X 2.0	PM-W2020D	18.706	18.881	RM-W2020D	18.636	18.491	●
M 20 X 2.5	PM-W2020E	18.382	18.566	RM-W2020E	18.310	18.166	●
M 22 X 1.0	PM-W2022B	21.355	21.500	RM-W2022B	21.295	21.180	●
M 22 X 1.5	PM-W2022C	21.031	21.196	RM-W2022C	20.961	20.826	●
M 22 X 2.0	PM-W2022D	20.706	20.881	RM-W2022D	20.636	20.491	●
M 22 X 2.5	PM-W2022E	20.382	20.566	RM-W2022E	20.310	20.166	●
M 24 X 1.0	PM-W2024B	23.355	23.500	RM-W2024B	23.295	23.180	●
M 24 X 1.5	PM-W2024C	23.031	23.196	RM-W2024C	22.961	22.826	●
M 24 X 2.0	PM-W2024D	22.706	22.891	RM-W2024D	22.626	22.481	●
M 24 X 3.0	PM-W2024F	22.057	22.251	RM-W2024F	21.975	21.821	●
M 25 X 1.0	PM-W2025B	24.355	24.500	RM-W2025B	24.295	24.180	●
M 25 X 1.5	PM-W2025C	24.031	24.196	RM-W2025C	23.961	23.826	●
M 25 X 2.0	PM-W2025D	23.706	23.891	RM-W2025D	23.626	23.481	●
M 26 X 1.5	PM-W2026C	25.031	25.196	RM-W2026C	24.961	24.826	●
M 27 X 1.0	PM-W2027B	26.355	26.520	RM-W2027B	26.309	26.199	●
M 27 X 1.5	PM-W2027C	26.031	26.196	RM-W2027C	25.961	25.826	●
M 27 X 2.0	PM-W2027D	25.706	25.925	RM-W2027D	25.648	25.493	●
M 27 X 3.0	PM-W2027F	25.057	25.251	RM-W2027F	24.975	24.821	●
M 28 X 1.0	PM-W2028B	27.355	27.500	RM-W2028B	27.295	27.180	●
M 28 X 1.5	PM-W2028C	27.031	27.196	RM-W2028C	26.961	26.826	●
M 28 X 2.0	PM-W2028D	26.706	26.891	RM-W2028D	26.626	26.481	●
M 30 X 1.0	PM-W2030B	29.355	29.500	RM-W2030B	29.295	29.180	●
M 30 X 1.5	PM-W2030C	29.031	29.196	RM-W2030C	28.961	28.826	●
M 30 X 2.0	PM-W2030D	28.701	28.891	RM-W2030D	28.626	28.481	●
M 30 X 3.0	PM-W2030F	28.056	28.316	RM-W2030F	27.988	27.803	●
M 30 X 3.5	PM-W2030G	27.733	29.947	RM-W2030G	27.651	27.477	●
M 32 X 1.5	PM-W2032C	31.031	31.206	RM-W2032C	30.961	30.826	●
M 32 X 2.0	PM-W2032D	30.706	30.901	RM-W2032D	30.626	30.471	●
M 33 X 1.5	PM-W2033C	32.031	32.206	RM-W2033C	31.961	31.826	●
M 33 X 2.0	PM-W2033D	31.706	31.925	RM-W2033D	31.648	31.493	●

※有●者備有庫存。

● means we have the item in stock.

-06-

※無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

Metric Thread : JIS II (JIS B0251 B0252) P-07

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : JIS II (JIS B0251 B0252)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	● 備有庫存 in stock
M 33 X 3.5	PM-W2033G	30.733	30.947	RM-W2033G	30.651	30.477	
M 35 X 1.5	PM-W2035C	34.031	34.206	RM-W2035C	33.961	33.826	●
M 36 X 1.5	PM-W2036C	35.031	35.206	RM-W2036C	34.961	34.826	●
M 36 X 2.0	PM-W2036D	34.706	34.901	RM-W2036D	34.626	34.471	
M 36 X 3.0	PM-W2036F	34.056	34.316	RM-W2036F	33.988	33.803	
M 36 X 4.0	PM-W2036H	33.412	33.632	RM-W2036H	33.316	33.132	
M 38 X 1.5	PM-W2038C	37.031	37.206	RM-W2038C	36.961	36.826	●
M 39 X 1.5	PM-W2039C	38.031	38.226	RM-W2039C	37.979	37.844	
M 39 X 2.0	PM-W2039D	37.706	37.925	RM-W2039D	37.648	37.493	
M 39 X 3.0	PM-W2039F	37.056	37.316	RM-W2039F	36.988	36.803	
M 39 X 4.0	PM-W2039H	36.408	36.632	RM-W2039H	36.316	36.132	
M 40 X 1.5	PM-W2040C	39.031	39.206	RM-W2040C	38.961	38.826	●
M 40 X 2.0	PM-W2040D	38.706	38.901	RM-W2040D	38.626	38.471	
M 40 X 3.5	PM-W2040G	38.056	38.316	RM-W2040G	37.988	37.803	
M 42 X 1.5	PM-W2042C	41.031	41.206	RM-W2042C	40.961	40.826	
M 42 X 2.0	PM-W2042D	40.706	40.901	RM-W2042D	40.626	40.471	
M 42 X 3.0	PM-W2042F	40.056	40.316	RM-W2042F	39.988	39.803	
M 42 X 4.5	PM-W2042I	39.083	39.327	RM-W2042I	38.991	38.797	
M 45 X 1.5	PM-W2045C	44.031	44.206	RM-W2045C	43.961	43.826	●
M 45 X 2.0	PM-W2045D	43.706	43.901	RM-W2045D	43.626	43.471	
M 45 X 4.5	PM-W2045I	42.083	42.375	RM-W2045I	41.991	41.797	
M 48 X 1.5	PM-W2048C	47.031	47.206	RM-W2048C	46.961	46.826	
M 48 X 2.0	PM-W2048D	46.706	46.901	RM-W2048D	46.626	46.471	
M 48 X 5.0	PM-W2048J	44.758	45.012	RM-W2048J	44.666	44.452	
M 50 X 1.5	PM-W2050C	49.031	49.206	RM-W2050C	48.961	48.826	●
M 50 X 2.0	PM-W2050D	48.706	48.901	RM-W2050D	48.626	48.471	
M 50 X 3.0	PM-W2050F	48.056	48.331	RM-W2050F	47.988	47.791	
M 52 X 1.5	PM-W2052C	51.032	51.216	RM-W2052C	50.958	50.816	
M 52 X 2.0	PM-W2052D	50.707	50.911	RM-W2052D	50.623	50.461	
M 52 X 5.0	PM-W2052J	48.758	49.087	RM-W2052J	48.666	48.431	
M 55 X 1.5	PM-W2055C	54.032	54.216	RM-W2055C	53.958	53.816	
M 55 X 2.0	PM-W2055D	53.707	53.911	RM-W2055D	53.623	53.461	
M 56 X 1.5	PM-W2056C	55.032	55.238	RM-W2056C	54.976	54.834	
M 56 X 5.5	PM-W2056K	52.434	52.783	RM-W2056K	52.335	52.088	
M 58 X 1.5	PM-W2058C	57.032	57.216	RM-W2058C	56.958	56.816	
M 60 X 1.5	PM-W2060C	59.032	59.216	RM-W2060C	58.958	58.816	

※有●者備有庫存。
● means we have the item in stock.

- 07 -

※無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

Metric Thread : JIS II (JIS B0251 B0252) P-08

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : JIS II (JIS B0251 B0252)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages ● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
M 60 X 5.5	PM-W2060K	56.434	56.883	RM-W2060K	56.335	56.088	
M 62 X 1.5	PM-W2062C	61.032	61.216	RM-W2062C	60.958	60.816	
M 64 X 1.5	PM-W2064C	63.032	63.238	RM-W2064C	62.976	62.834	
M 64 X 6.0	PM-W2064L	60.109	60.478	RM-W2064L	60.005	59.731	
M 65 X 1.5	PM-W2065C	64.032	64.216	RM-W2065C	63.958	63.816	
M 68 X 1.5	PM-W2068C	67.032	67.216	RM-W2068C	66.958	66.816	
M 68 X 6.0	PM-W2068L	64.109	64.478	RM-W2068L	64.005	63.743	
M 70 X 1.5	PM-W2070C	69.032	69.216	RM-W2070C	68.958	68.816	
M 75 X 1.5	PM-W2075C	74.032	74.216	RM-W2075C	73.958	73.816	
M 76 X 1.5	PM-W2076C	75.032	75.238	RM-W2076C	74.976	74.834	
M 80 X 1.5	PM-W2080C	79.032	79.216	RM-W2080C	78.958	78.816	
M 80 X 2.0	PM-W2080D	78.707	78.911	RM-W2080D	78.623	78.461	
M 80 X 6.0	PM-W2080L	76.109	76.478	RM-W2080L	76.005	75.743	
M 82 X 2.0	PM-W2082D	80.708	80.921	RM-W2082D	80.620	80.451	
M 85 X 2.0	PM-W2085D	83.708	83.921	RM-W2085D	83.620	83.451	
M 85 X 6.0	PM-W2085L	81.110	81.478	RM-W2085L	81.002	80.743	
M 90 X 2.0	PM-W2090D	88.708	88.921	RM-W2090D	88.620	88.451	
M 90 X 6.0	PM-W2090L	86.110	86.478	RM-W2090L	86.002	85.743	
M 95 X 2.0	PM-W2095D	93.708	93.921	RM-W2095D	93.620	93.451	
M 95 X 6.0	PM-W2095L	91.110	91.503	RM-W2095L	91.002	90.723	
M100 X 2.0	PM-W2100D	98.708	98.921	RM-W2100D	98.620	98.451	
M100 X 6.0	PM-W2100L	96.110	96.503	RM-W2100L	96.002	95.723	
M105 X 2.0	PM-W2105D	103.708	103.921	RM-W2105D	103.620	103.451	
M105 X 6.0	PM-W2105L	101.110	101.503	RM-W2105L	101.002	100.723	
M110 X 2.0	PM-W2110D	108.708	108.921	RM-W2110D	108.620	108.451	
M110 X 6.0	PM-W2110L	106.110	106.503	RM-W2110L	106.002	105.723	
M115 X 2.0	PM-W2115D	113.708	113.921	RM-W2115D	113.620	113.451	
M115 X 6.0	PM-W2115L	111.110	111.503	RM-W2115L	111.002	110.723	
M120 X 2.0	PM-W2120D	118.708	118.921	RM-W2120D	118.620	118.451	
M120 X 6.0	PM-W2120L	116.110	116.503	RM-W2120L	116.002	115.723	
M125 X 2.0	PM-W2125D	123.709	123.951	RM-W2125D	123.607	123.421	
M125 X 6.0	PM-W2125L	121.111	121.503	RM-W2125L	120.999	120.723	
M130 X 2.0	PM-W2130D	128.709	128.951	RM-W2130D	128.607	128.421	
M130 X 6.0	PM-W2130L	126.111	126.503	RM-W2130L	125.999	125.723	
M135 X 2.0	PM-W2135D	133.709	133.951	RM-W2135D	133.607	133.421	
M135 X 6.0	PM-W2135L	131.111	131.503	RM-W2135L	130.999	130.723	

● 備有庫存。

● means we have the item in stock.

-08-

● 無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

W British Standard Thread : II Class , III Class P-09

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

M 公制螺紋 Metric Thread : JIS II (JIS B0251 B0252)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	● 備有庫存 in stock
M140 X 2.0	PM-W2140D	138.709	138.951	RM-W2140D	138.607	138.421	
M140 X 6.0	PM-W2140L	136.111	136.503	RM-W2140L	135.999	135.723	
M145 X 2.0	PM-W2145D	143.709	143.951	RM-W2145D	143.607	143.421	
M145 X 6.0	PM-W2145L	141.111	141.503	RM-W2145L	140.999	140.723	
M150 X 2.0	PM-W2150D	148.709	148.951	RM-W2150D	148.607	148.421	
M150 X 6.0	PM-W2150L	146.111	146.503	RM-W2150L	145.999	145.723	

W 英制螺紋 British Standard Thread : II 級(class) 、 III 級(class)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	● 備有庫存 in stock
W 1/8 山 (crest) 40	PW-W2010	2.772	2.860	RW-W2010	2.756	2.688	●
W 5/32 山 (crest) 32	PW-W2010-5	3.465	3.561	RW-W2010-5	3.465	3.379	●
W 3/16 山 (crest) 24	PW-W2015	4.089	4.185	RW-W2015	4.073	3.994	●
W 1/4 山 (crest) 20	PW-W2020	5.541	5.647	RW-W2020	5.525	5.427	●
W 5/16 山 (crest) 18	PW-W2025	7.038	7.154	RW-W2025	7.020	6.914	●
W 3/8 山 (crest) 16	PW-W2030	8.513	8.639	RW-W2030	8.497	8.381	●
W 7/16 山 (crest) 14	PW-W2035	9.955	10.091	RW-W2035	9.936	9.803	●
W 1/2 山 (crest) 12	PW-W2040	11.350	11.495	RW-W2040	11.330	11.195	●
W 5/8 山 (crest) 11	PW-W2050	14.402	14.576	RW-W2050	14.381	14.236	●
W 3/4 山 (crest) 10	PW-W2060	17.430	17.584	RW-W2060	17.409	17.264	●
W 7/8 山 (crest) 9	PW-W2070	20.423	20.598	RW-W2070	20.403	20.248	●
W 1 山 (crest) 8	PW-W2100	23.372	23.557	RW-W2100	23.352	23.187	●
W 1 1/8 山 (crest) 7	PW-W2110	26.257	26.442	RW-W2110	26.237	26.062	
W 1 1/4 山 (crest) 7	PW-W2120	29.432	29.617	RW-W2120	29.412	29.237	
W 1 3/8 山 (crest) 6	PW-W2130	32.220	32.415	RW-W2130	32.199	32.004	
W 1 1/2 山 (crest) 6	PW-W2150	35.395	35.590	RW-W2150	35.374	35.179	

※有●者備有庫存。
● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

UNC Unified Coarse Thread (ANSI B1.2-2A 2B) P-11

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

UNC 美制粗螺紋 Unified Coarse Thread (ANSI B1.2-2A 2B)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規2B Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規2A Fixed Limit Thread Ring Gages		● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
NO.4 - 40 UNC	PNC-W201-04	2.433	2.517	RNC-W201-04	2.413	2.349	●
NO.5 - 40 UNC	PNC-W201-05	2.763	2.847	RNC-W201-05	2.743	2.677	●
NO.6 - 32 UNC	PNC-W201-06	2.994	3.083	RNC-W201-06	2.957	2.899	●
NO.8 - 32 UNC	PNC-W201-08	3.654	3.746	RNC-W201-08	3.615	3.554	●
NO.10 - 24 UNC	PNC-W201-10	4.142	4.246	RNC-W201-10	4.100	4.029	●
NO.12 - 24 UNC	PNC-W201-12	4.803	4.909	RNC-W201-12	4.760	4.687	●
1/4 - 20 UNC	PNC-W2020	5.529	5.648	RNC-W2020	5.484	5.403	●
5/16 - 18 UNC	PNC-W2025	7.025	7.155	RNC-W2025	6.978	6.889	●
3/8 - 16 UNC	PNC-W2030	8.498	8.638	RNC-W2030	8.448	8.349	●
7/16 - 14 UNC	PNC-W2035	9.938	10.088	RNC-W2035	9.886	9.779	●
1/2 - 13 UNC	PNC-W2040	11.434	11.595	RNC-W2040	11.380	11.265	●
9/16 - 12 UNC	PNC-W2045	12.918	13.086	RNC-W2045	12.861	12.741	●
5/8 - 11 UNC	PNC-W2050	14.381	14.559	RNC-W2050	14.323	14.197	●
3/4 - 10 UNC	PNC-W2060	17.403	17.594	RNC-W2060	17.341	17.204	●
7/8 - 9 UNC	PNC-W2070	20.396	20.599	RNC-W2070	20.330	20.183	●
1 - 8 UNC	PNC-W2100	23.343	23.561	RNC-W2100	23.271	23.114	●
1 1/8 - 7 UNC	PNC-W2110	26.223	26.456	RNC-W2110	26.147	25.980	●
1 1/4 - 7 UNC	PNC-W2120	29.398	29.636	RNC-W2120	29.322	29.150	●
1 3/8 - 6 UNC	PNC-W2130	32.180	32.438	RNC-W2130	32.098	31.911	
1 1/2 - 6 UNC	PNC-W2150	35.355	35.615	RNC-W2150	35.273	35.083	
1 3/4 - 5 UNC	PNC-W2160	41.157	41.445	RNC-W2160	41.063	40.856	
2 - 4 1/2 UNC	PNC-W2200	47.141	47.449	RNC-W2200	47.042	46.820	
2 1/4 - 4 1/2 UNC	PNC-W2220	53.491	53.804	RNC-W2220	53.392	53.165	
2 1/2 - 4 UNC	PNC-W2240	59.382	59.717	RNC-W2240	59.277	59.033	
2 3/4 - 4 UNC	PNC-W2260	65.732	66.073	RNC-W2260	65.624	65.378	
3 - 4 UNC	PNC-W2300	72.082	72.428	RNC-W2300	71.974	71.722	
3 1/4 - 4 UNC	PNC-W2320	78.432	78.783	RNC-W2320	78.322	78.065	
3 1/2 - 4 UNC	PNC-W2340	84.782	85.138	RNC-W2340	84.672	84.412	
3 3/4 - 4 UNC	PNC-W2360	91.132	91.493	RNC-W2360	90.755	90.755	
4 - 4 UNC	PNC-W2400	97.482	97.848	RNC-W2400	97.369	97.102	

● 有 ● 者備有庫存。
● means we have the item in stock.

● 無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

UNF Unified Fine Thread (ANSI B1.2-2A 2B) P-12

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

UNF 美制細螺紋 Unified Fine Thread (ANSI B1.2-2A 2B)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規2B Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規2A Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages ● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
NO.4 - 48 UNF	PNF-W201-04	2.501	2.580	RNF-W201-04	2.484	2.423	●
NO.5 - 44 UNF	PNF-W201-05	2.799	2.880	RNF-W201-05	2.781	2.717	●
NO.6 - 40 UNF	PNF-W201-06	3.097	3.180	RNF-W201-06	3.065	3.008	●
NO.8 - 36 UNF	PNF-W201-08	3.712	3.799	RNF-W201-08	3.680	3.617	●
NO.10 - 32 UNF	PNF-W201-10	4.315	4.409	RNF-W201-10	4.275	4.212	●
NO.12 - 28 UNF	PNF-W201-12	4.902	5.003	RNF-W201-12	4.859	4.791	●
1/4 - 28 UNF	PNF-W2020	5.761	5.869	RNF-W2020	5.723	5.652	●
5/16 - 24 UNF	PNF-W2025	7.254	7.371	RNF-W2025	7.209	7.128	●
3/8 - 24 UNF	PNF-W2030	8.841	8.961	RNF-W2030	8.796	8.713	●
7/16 - 20 UNF	PNF-W2035	10.291	10.424	RNF-W2035	10.242	10.147	●
1/2 - 20 UNF	PNF-W2040	11.879	12.016	RNF-W2040	11.829	11.732	●
9/16 - 18 UNF	PNF-W2045	13.375	13.520	RNF-W2045	13.323	13.221	●
5/8 - 18 UNF	PNF-W2050	14.963	15.110	RNF-W2050	14.910	14.804	●
3/4 - 16 UNF	PNF-W2060	18.023	18.183	RNF-W2060	17.968	17.854	●
7/8 - 14 UNF	PNF-W2070	21.051	21.224	RNF-W2070	20.993	20.869	●
1 - 12 UNF	PNF-W2100	24.030	24.218	RNF-W2100	23.968	23.831	●
1 1/8 - 12 UNF	PNF-W2110	27.205	27.298	RNF-W2110	27.143	27.003	●
1 1/4 - 12 UNF	PNF-W2120	30.380	30.579	RNF-W2120	30.318	30.173	●
1 3/8 - 12 UNF	PNF-W2130	33.555	33.759	RNF-W2130	33.490	33.343	●
1 1/2 - 12 UNF	PNF-W2150	36.730	36.936	RNF-W2150	36.665	36.516	●

● 備有庫存。
● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

UNEF Unified Extra Fine Thread (ANSI B1.2-2A 2B) P-13

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

UNEF 美制極細螺紋 Unified Extra Fine Thread (ANSI B1.2-2A 2B)

inch

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規2B Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規2A Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
NO.12 - 32 UNEF	PNEF-W201-12	0.1957	0.1998	RNEF-W201-12	0.1948	0.1917	●
1/4 - 32 UNEF	PNEF-W2020	0.2297	0.2339	RNEF-W2020	0.2287	0.2255	●
5/16 - 32 UNEF	PNEF-W2025	0.2922	0.2964	RNEF-W2025	0.2912	0.2880	●
3/8 - 32 UNEF	PNEF-W2030	0.3547	0.3591	RNEF-W2030	0.3537	0.3503	●
7/16 - 28 UNEF	PNEF-W2035	0.4143	0.4189	RNEF-W2035	0.4132	0.4096	●
1/2 - 28 UNEF	PNEF-W2040	0.4768	0.4816	RNEF-W2040	0.4757	0.4720	●
9/16 - 24 UNEF	PNEF-W2045	0.5354	0.5405	RNEF-W2045	0.5342	0.5303	●
5/8 - 24 UNEF	PNEF-W2050	0.5979	0.6031	RNEF-W2050	0.5967	0.5927	●
3/4 - 20 UNEF	PNEF-W2060	0.7175	0.7232	RNEF-W2060	0.7162	0.7118	●
13/16 - 20 UNEF	PNEF-W2065	0.7800	0.7857	RNEF-W2065	0.7787	0.7743	●
7/8 - 20 UNEF	PNEF-W2070	0.8425	0.8482	RNEF-W2070	0.8412	0.8368	●
15/16 - 20 UNEF	PNEF-W2075	0.9050	0.9109	RNEF-W2075	0.9036	0.8991	●
1 - 20 UNEF	PNEF-W2100	0.9675	0.9734	RNEF-W2100	0.9661	0.9616	●
1 1/16 - 18 UNEF	PNEF-W2105	1.0264	1.0326	RNEF-W2105	1.0250	1.0203	●
1 1/8 - 18 UNEF	PNEF-W2110	1.0889	1.0951	RNEF-W2110	1.0875	1.0828	●
1 3/16 - 18 UNEF	PNEF-W2115	1.1514	1.1577	RNEF-W2115	1.1499	1.1450	●
1 1/4 - 18 UNEF	PNEF-W2120	1.2139	1.2202	RNEF-W2120	1.2124	1.2075	●
1 5/16 - 18 UNEF	PNEF-W2125	1.2764	1.2827	RNEF-W2125	1.2749	1.2700	●
1 3/8 - 18 UNEF	PNEF-W2130	1.3389	1.3452	RNEF-W2130	1.3374	1.3325	●
1 7/16 - 18 UNEF	PNEF-W2135	1.4014	1.4079	RNEF-W2135	1.3999	1.3949	●
1 1/2 - 18 UNEF	PNEF-W2140	1.4639	1.4704	RNEF-W2140	1.4624	1.4574	●
1 9/16 - 18 UNEF	PNEF-W2145	1.5264	1.5329	RNEF-W2145	1.5249	1.5199	●
1 5/8 - 18 UNEF	PNEF-W2150	1.5889	1.5954	RNEF-W2150	1.5874	1.5824	●
1 11/16 - 18 UNEF	PNEF-W2155	1.6514	1.6580	RNEF-W2155	1.6499	1.6448	●

UNS 美制特殊螺紋 Unified Special Thread (2A 2B)

inch

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規2B Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規2A Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
NO.10 - 28 UNS	PUN-W200JB8	0.1668	0.1711	RUN-W200JB8	0.1658	0.1625	●
NO.12 - 48 UNS	PUN-W200LD8	0.2025	0.2059	RUN-W200LD8	0.2017	0.1991	●
1/4 - 27 UNS	PUN-W2020B7	0.2259	0.2304	RUN-W2020B7	0.2249	0.2214	●
5/16 - 27 UNS	PUN-W2025B7	0.2884	0.2929	RUN-W2025B7	0.2874	0.2839	●
3/8 - 27 UNS	PUN-W2030B7	0.3509	0.3556	RUN-W2030B7	0.3498	0.3462	●
7/16 - 24 UNS	PUN-W2035B4	0.4104	0.4153	RUN-W2035B4	0.4093	0.4055	●
7/16 - 27 UNS	PUN-W2035B7	0.4134	0.4181	RUN-W2035B7	0.4123	0.4087	●
1/2 - 27 UNS	PUN-W2040B7	0.4759	0.4807	RUN-W2040B7	0.4748	0.4711	●

● 備有庫存。

● means we have the item in stock.

● 無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

UNS Unified Special Thread (2A 2B) P-14

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

UNS 美制特殊螺紋 Unified Special Thread (2A 2B)

inch

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規2B Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規2A Fixed Limit Thread Ring Gages		● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
9/16 - 27 UNS	PUN-W2045B7	0.5384	0.5432	RUN-W2045B7	0.5376	0.5336	●
5/8 - 27 UNS	PUN-W2050B7	0.6009	0.6059	RUN-W2050B7	0.5998	0.5960	●
3/4 - 27 UNS	PUN-W2060B7	0.7259	0.7310	RUN-W2060B7	0.7247	0.7208	●
7/8 - 24 UNS	PUN-W2070B4	0.8479	0.8532	RUN-W2070B4	0.8467	0.8426	●
15/16 - 24 UNS	PUN-W2075B4	0.9104	0.9159	RUN-W2075B4	0.9091	0.9049	●
1 - 14 UNS	PUN-W2100A4	0.9536	0.9609	RUN-W2100A4	0.9519	0.9463	●
1 1/8 - 24 UNS	PUN-W2110B4	1.0979	1.1034	RUN-W2110B4	1.0966	1.0924	
1 1/4 - 24 UNS	PUN-W2120B4	1.2229	1.2285	RUN-W2120B4	1.2216	1.2173	
1 3/8 - 24 UNS	PUN-W2130B4	1.3479	1.3535	RUN-W2130B4	1.3466	1.3423	
1 1/2 - 24 UNS	PUN-W2140B4	1.4729	1.4787	RUN-W2140B4	1.4716	1.4672	
1 5/8 - 24 UNS	PUN-W2150B4	1.5979	1.6037	RUN-W2150B4	1.5966	1.5922	
1 3/4 - 18 UNS	PUN-W2160A8	1.7139	1.7205	RUN-W2160A8	1.7124	1.7073	
1 7/8 - 18 UNS	PUN-W2170A8	1.8389	1.8455	RUN-W2170A8	1.8374	1.8323	
2 - 18 UNS	PUN-W2200A8	1.9639	1.9706	RUN-W2200A8	1.9624	1.9573	
2 1/16 - 16 UNS	PUN-W2205A6	2.0219	2.0289	RUN-W2205A6	2.0203	2.0149	
2 3/16 - 16 UNS	PUN-W2215A6	2.1469	2.1539	RUN-W2215A6	2.1453	2.1399	
2 1/4 - 18 UNS	PUN-W2220A8	2.2139	2.2206	RUN-W2220A8	2.2124	2.2073	
2 5/16 - 16 UNS	PUN-W2225A6	2.2719	2.2791	RUN-W2225A6	2.2702	2.2647	
2 1/2 - 18 UNS	PUN-W2240A8	2.4639	2.4708	RUN-W2240A8	2.4623	2.4570	
2 3/4 - 18 UNS	PUN-W2260A8	2.7139	2.7208	RUN-W2260A8	2.7123	2.7070	
3 - 18 UNS	PUN-W2300A8	2.9639	2.9709	RUN-W2300A8	2.9623	2.9569	
3 1/4 - 18 UNS	PUN-W2320A8	3.2139	3.2209	RUN-W2320A8	3.2123	3.2069	
3 1/2 - 18 UNS	PUN-W2340A8	3.4639	3.4711	RUN-W2340A8	3.4622	3.4567	
3 3/4 - 18 UNS	PUN-W2360A8	3.7139	3.7211	RUN-W2360A8	3.7122	3.7067	
4 - 14 UNS	PUN-W2400A4	3.9536	3.9616	RUN-W2400A4	3.9518	3.9456	
4 1/4 - 14 UNS	PUN-W2420A4	4.2036	4.2116	RUN-W2420A4	4.2018	4.1956	
4 1/2 - 14 UNS	PUN-W2440A4	4.4536	4.4616	RUN-W2440A4	4.4518	4.4456	
4 3/4 - 14 UNS	PUN-W2460A4	4.7036	4.7119	RUN-W2460A4	4.7017	4.6953	
5 - 14 UNS	PUN-W2500A4	4.9536	4.9619	RUN-W2500A4	4.9517	4.9453	
5 1/4 - 14 UNS	PUN-W2520A4	5.2036	5.2119	RUN-W2520A4	5.2017	5.1953	
5 1/2 - 14 UNS	PUN-W2540A4	5.4536	5.4619	RUN-W2540A4	5.4517	5.4453	
5 3/4 - 14 UNS	PUN-W2560A4	5.7036	5.7121	RUN-W2560A4	5.7016	5.6951	
6 - 14 UNS	PUN-W2600A4	5.9536	5.9621	RUN-W2600A4	5.9516	5.9451	

●者備有庫存。

● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

BC Bicycle : JIS B0225 SM Sewing Machine : JIS II Class (JIS B0226)

限界螺紋栓(環)規

Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

BC 自轉車用 Bicycle : JIS B0225

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
BC 5/16 Δ (crest) 26	PBC-W025	7.425	7.550	RBC-W025	7.405	7.290	● 備有庫存 in stock
BC 3/8 Δ (crest) 26	PBC-W030	9.015	9.140	RBC-W030	8.995	8.880	●
BC 7/16 Δ (crest) 26	PBC-W035	10.595	10.720	RBC-W035	10.575	10.460	●
BC 1/2 Δ (crest) 20	PBC-W040	12.025	12.160	RBC-W040	12.005	11.880	●
BC 9/16 Δ (crest) 20	PBC-W045	13.615	13.750	RBC-W045	13.595	13.470	●
BC 5/8 Δ (crest) 20	PBC-W050	15.205	15.340	RBC-W050	15.185	15.060	●
BC 11/16 Δ (crest) 24点	PBC-W055#	16.906	17.040	RBC-W055#	16.882	16.760	●
BC 3/4 Δ (crest) 30	PBC-W060	18.606	18.740	RBC-W060	18.582	18.460	●
BC 31/32 Δ (crest) 30	PBC-W090	24.166	24.300	RBC-W090	24.142	24.020	●
BC 1 Δ (crest) 24	PBC-W100	24.848	25.000	RBC-W100	24.816	24.680	●
BC 1 1/8 Δ (crest) 26	PBC-W110	28.063	28.215	RBC-W110	28.031	27.895	●
BC 1 1/4 Δ (crest) 26	PBC-W120	31.238	31.390	RBC-W120	31.206	31.070	●
BC 1 3/8 Δ (crest) 24	PBC-W137	34.248	34.410	RBC-W137	34.216	34.070	●
BC 1 1/2 Δ (crest) 24	PBC-W142	35.516	35.678	RBC-W142	35.484	35.338	●
BC 1 7/16 Δ (crest) 24	PBC-W135	35.958	36.120	RBC-W135	35.926	35.780	●
BC 1 1/2 Δ (crest) 24	PBC-W145	36.278	36.440	RBC-W145	36.246	36.100	●
BC 1 9/16 Δ (crest) 24	PBC-W145	39.138	39.300	RBC-W145	39.106	38.960	●

SM 針車用 Sewing Machine : JIS II 級(class) (JIS B0226)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
SM 1/8 Δ (crest) 40	PSM-W2001D0	2.767	2.853	RSM-W2001D0	2.751	2.673	● 備有庫存 in stock
SM 1/8 Δ (crest) 44	PSM-W2001D4	2.804	2.890	RSM-W2001D4	2.788	2.710	●
SM 1/8 Δ (crest) 48	PSM-W2001D8	2.835	2.921	RSM-W2001D8	2.819	2.725	●
SM 9/64 Δ (crest) 40	PSM-W2015D0	3.164	3.250	RSM-W2015D0	3.148	3.070	●
SM 11/64 Δ (crest) 40	PSM-W2004D0	3.958	4.054	RSM-W2004D0	3.942	3.854	●
SM 3/16 Δ (crest) 28	PSM-W2004B8	4.174	4.273	RSM-W2004B8	4.158	4.070	●
SM 15/64 Δ (crest) 28	PSM-W2005B8	5.368	5.474	RSM-W2005B8	5.352	5.254	●
SM 1/4 Δ (crest) 24	PSM-W2020B4	5.667	5.773	RSM-W2020B4	5.651	5.553	●
SM 1/4 Δ (crest) 28	PSM-W2020B8	5.765	5.871	RSM-W2020B8	5.749	5.651	●
SM 1/4 Δ (crest) 40	PSM-W2020D0	5.942	6.048	RSM-W2020D0	5.926	5.828	●
SM 9/32 Δ (crest) 20	PSM-W2007B0	6.323	6.439	RSM-W2007B0	6.307	6.199	●
SM 9/32 Δ (crest) 28	PSM-W2007B8	6.559	6.675	RSM-W2007B8	6.543	6.435	●

※有●者備有庫存。

● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。

No stock or special specifications are available on request.

PS British Standard Parallel Pipe Thread Gages : JIS B0254 Annex.BS21

限界螺紋栓(環)規 Fixed Limit Thread Plug (Ring) Gages



螺紋栓規
Thread Plug Gages



螺紋環規
Thread Ring Gages

SM 針車用 Sewing Machine : JIS II 級(class) (JIS B0226)

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
SM 5/16 Δ (crest) 18	PSM-W2025A8	7.026	7.142	RSM-W2025A8	7.010	6.902	● 備有庫存 in stock
SM 11/32 Δ (crest) 28	PSM-W2025B8	8.146	8.262	RSM-W2025B8	8.130	8.022	
SM 3/8 Δ (crest) 18	PSM-W2030A8	8.613	8.739	RSM-W2030A8	8.597	8.479	
SM 3/8 Δ (crest) 28	PSM-W2030B8	8.940	9.056	RSM-W2030B8	8.924	8.816	
SM 7/16 Δ (crest) 16	PSM-W2035A6	10.085	10.221	RSM-W2035A6	10.069	9.941	
SM 7/16 Δ (crest) 28	PSM-W2035B8	10.527	10.653	RSM-W2035B8	10.511	10.393	
SM 1/2 Δ (crest) 28	PSM-W2040B8	12.115	12.251	RSM-W2040B8	12.099	11.971	
SM 9/16 Δ (crest) 20	PSM-W2045B0	13.467	13.613	RSM-W2045B0	13.451	13.313	

PS 英制管用平行螺紋規 British Standard Parallel Pipe Thread Gages : JIS B0254附屬書(Annex). BS21. mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages
		GO PD	HI PD		GO PD	LO PD	
PS 1/8 Δ (crest) 28	PPS-W010	9.083	9.217	RPS-W010	9.071	8.907	●
PS 1/4 Δ (crest) 19	PPS-W020	12.209	12.401	RPS-W020	12.193	11.991	
PS 3/8 Δ (crest) 19	PPS-W030	15.714	15.906	RPS-W030	15.698	15.496	
PS 1/2 Δ (crest) 14	PPS-W040	19.661	19.933	RPS-W040	19.645	19.413	
PS 3/4 Δ (crest) 14	PPS-W060	25.147	25.419	RPS-W060	25.131	24.889	●
PS 1 Δ (crest) 11	PPS-W100	31.598	31.778	RPS-W100	31.582	31.320	
PS 1 1/4 Δ (crest) 11	PPS-W120	40.259	40.611	RPS-W120	40.243	39.971	
PS 1 1/2 Δ (crest) 11	PPS-W150	46.153	46.504	RPS-W150	46.135	45.864	
PS 2 Δ (crest) 11	PPS-W200	57.964	58.315	RPS-W200	57.946	57.645	●
PS 2 1/2 Δ (crest) 11	PPS-W250	73.494	73.925	RPS-W250	73.476	73.185	
PS 3 Δ (crest) 11	PPS-W300	86.196	86.625	RPS-W300	86.174	85.845	
PS 3 1/2 Δ (crest) 11	PPS-W350	98.642	99.071	RPS-W350	98.620	98.291	
PS 4 Δ (crest) 11	PPS-W400	111.343	111.771	RPS-W400	111.319	110.981	
PS 5 Δ (crest) 11	PPS-W500	136.743	137.171	RPS-W500	136.719	136.361	
PS 6 Δ (crest) 11	PPS-W600	162.145	162.571	RPS-W600	162.117	161.761	
PS 8 Δ (crest) 11	PPS-W800	212.848	213.471	RPS-W800	212.814	212.411	

※有●者備有庫存。
● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

PF (G) Parallel Pipe Thread : A Class (JIS B0254) NPSM American Standard Parallel Pipe Thread : 2A 2B (ANSI B2.1) P-18

限界螺紋栓(環)規 Fixed Limit Thread Plug (Ring) Gages							
 螺紋栓規 Thread Plug Gages				 螺紋環規 Thread Ring Gages			
PF (G)管用平行螺紋 Parallel Pipe Thread : A級(class) (JIS B0254附屬書(Annex), DIN259, ISO228 參考(reference)) mm							
規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規A級 Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規A級 Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages ● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
PF 1/8 山(crest) 28	PPF-WA010	9.151	9.254	RPF-WA010	9.135	9.040	●
PF 1/4 山(crest) 19	PPF-WA020	12.306	12.426	RPF-WA020	12.286	12.176	●
PF 3/8 山(crest) 19	PPF-WA030	15.811	15.931	RPF-WA030	15.791	15.681	●
PF 1/2 山(crest) 14	PPF-WA040	19.798	19.935	RPF-WA040	19.778	19.651	●
PF 5/8 山(crest) 14	PPF-WA050	21.754	21.891	RPF-WA050	21.734	21.607	●
PF 3/4 山(crest) 14	PPF-WA060	25.284	25.421	RPF-WA060	25.264	25.137	●
PF 7/8 山(crest) 14	PPF-WA070	29.044	29.181	RPF-WA070	29.024	28.897	●
PF 1 山(crest) 11	PPF-WA100	31.775	31.950	RPF-WA100	31.755	31.590	●
PF 1 1/4 山(crest) 11	PPF-WA120	40.436	40.611	RPF-WA120	40.416	40.251	●
PF 1 1/2 山(crest) 11	PPF-WA150	46.330	46.504	RPF-WA150	46.306	46.144	●
PF 2 山(crest) 11	PPF-WA200	58.141	58.315	RPF-WA200	58.117	57.955	●
PF 2 1/2 山(crest) 11	PPF-WA250	73.711	73.922	RPF-WA250	73.687	73.488	●
PF 3 山(crest) 11	PPF-WA300	86.412	86.622	RPF-WA300	86.384	86.188	●
PF 4 山(crest) 11	PPF-WA400	111.559	111.768	RPF-WA400	111.527	111.334	●
PF 5 山(crest) 11	PPF-WA500	136.959	137.168	RPF-WA500	136.927	136.734	●
PF 6 山(crest) 11	PPF-WA600	162.360	162.568	RPF-WA600	162.324	162.134	●
PF 8 山(crest) 11	PPF-WA800	213.162	213.469	RPF-WA800	213.118	212.833	●
PF 10 山(crest) 11	PPF-WA1000	263.963	264.269	RPF-WA1000	263.915	263.633	●
PF 12 山(crest) 11	PPF-WA1200	314.765	315.148	RPF-WA1200	314.709	314.354	●

美制管用螺紋規

American Standard Parallel Pipe Thread Gages

NPSM 美制管用平行螺紋 American Standard Parallel Pipe Thread : 2B 2A (ANSI B2.1) inch

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	限界螺紋栓規2B Fixed Limit Thread Plug Gages		螺紋環規產品編號 Thread Ring Gages Serial No.	限界螺紋環規2A Fixed Limit Thread Ring Gages		限界螺紋栓環規 Fixed Limit Thread Plug (Ring) Gages ● 備有庫存 in stock
		GO PD	HI PD		GO PD	LO PD	
NPSM 1/8 - 27	PNPSM-W010	0.3736	0.3683	RNPSM-W010	0.3725	0.3689	●
NPSM 1/4 - 18	PNPSM-W020	0.4916	0.4974	RNPSM-W020	0.4903	0.4859	●
NPSM 3/8 - 18	PNPSM-W030	0.6270	0.6329	RNPSM-W030	0.6256	0.6211	●
NPSM 1/2 - 14	PNPSM-W040	0.7784	0.7851	RNPSM-W040	0.7769	0.7718	●
NPSM 3/4 - 14	PNPSM-W060	0.9889	0.9958	RNPSM-W060	0.9873	0.9820	●
NPSM 1 - 11 1/2	PNPSM-W100	1.2386	1.2462	RNPSM-W100	1.2369	1.2311	●
NPSM 1 1/4 - 11 1/2	PNPSM-W120	1.5834	1.5912	RNPSM-W120	1.5816	1.5756	●
NPSM 1 1/2 - 11 1/2	PNPSM-W150	1.8223	1.8302	RNPSM-W150	1.8205	1.8144	●
NPSM 2 - 11 1/2	PNPSM-W200	2.2963	2.3044	RNPSM-W200	2.2944	2.2882	●
NPSM 2 1/2 - 8	PNPSM-W250	2.7622	2.7720	RNPSM-W250	2.7600	2.7526	●
NPSM 3 - 8	PNPSM-W300	3.3885	3.3984	RNPSM-W300	3.3862	3.3786	●
NPSM 4 - 8	PNPSM-W400	4.3871	4.3971	RNPSM-W400	4.3848	4.3771	●
NPSM 5 - 8	PNPSM-W500	5.4493	5.4598	RNPSM-W500	5.4469	5.4390	●
NPSM 6 - 8	PNPSM-W600	6.5060	6.5165	RNPSM-W600	6.5036	6.4955	●

● 備有庫存
● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。
No stock or special request, welcome to order.

● 備有庫存。
● means we have the item in stock.

※ 無庫存及特殊品，歡迎訂製。
No stock or special specifications are available for moment.

NPT American Standard Taper Pipe Thread Gages : ANSI B2.1 P-19

美制管用螺紋規 American Standard Taper Pipe Thread Gages



NPT 美制管用斜度螺紋規 American Standard Taper Pipe Thread Gages : ANSI B2.1 inch

規格 Specification	螺紋栓規產品編號 Thread Plug Gage Serial No.	螺紋環規產品編號 Thread Ring Gage Serial No.	基準徑位置 Position of gage diameter		● 備有庫存 in stock
			OD	PD	
NPT 1/8 - 27	PNPT-001	RNPT-001	0.39827	0.37360	●
NPT 1/4 - 18	PNPT-002	RNPT-002	0.52863	0.49163	●
NPT 3/8 - 18	PNPT-003	RNPT-003	0.66402	0.62701	●
NPT 1/2 - 14	PNPT-004	RNPT-004	0.82600	0.77843	●
NPT 3/4 - 14	PNPT-006	RNPT-006	1.03644	0.98887	●
NPT 1 - 11 1/2	PNPT-010	RNPT-010	1.29654	1.23863	●
NPT 1 1/4 - 11 1/2	PNPT-012	RNPT-012	1.64129	1.58338	●
NPT 1 1/2 - 11 1/2	PNPT-015	RNPT-015	1.88025	1.82234	●
NPT 2 - 11 1/2	PNPT-020	RNPT-020	2.35418	2.29627	●
NPT 2 1/2 - 8	PNPT-025	RNPT-025	2.84541	2.76216	●
NPT 3 - 8	PNPT-030	RNPT-030	3.47175	3.38850	●
NPT 3 1/2 - 8	PNPT-035	RNPT-035	3.97207	3.88881	●
NPT 4 - 8	PNPT-040	RNPT-040	4.47038	4.38712	●
NPT 5 - 8	PNPT-050	RNPT-050	5.53255	5.44929	
NPT 6 - 8	PNPT-060	RNPT-060	6.58922	6.50597	
NPT 8 - 8	PNPT-080	RNPT-080	8.58328	8.50003	
NPT 10 - 8	PNPT-100	RNPT-100	10.70419	10.62094	
NPT 12 - 8	PNPT-120	RNPT-120	12.70107	12.61781	
NPT 14 - 8 OD	PNPT-140	RNPT-140	13.95588	13.87262	
NPT 16 - 8 OD	PNPT-160	RNPT-160	15.95900	15.87575	
NPT 18 - 8 OD	PNPT-180	RNPT-180	17.95825	17.87500	
NPT 20 - 8 OD	PNPT-200	RNPT-200	19.95357	19.87031	
NPT 24 - 8 OD	PNPT-240	RNPT-240	23.94419	23.86094	

● 備有●者備有庫存。
● means we have the item in stock.

● 無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

NPTF American Standard Dry Seal Taper Pipe Thread Plug Gages : ANSI

B1.20.5 P-20

美制管用螺紋規 American Standard Taper Pipe Thread Gages



NPTF 美制管用氣密螺紋栓規(3-STEP): ANSI B1. 20. 5

American Standard Dry Seal Taper Pipe Thread Plug Gages

inch

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	基準徑位置 Position of gage diameter PD	● 備有庫存 in stock
L1	L1	L3	L3		
1/16 - 27 NPTF - L1	PNPTF-L1005	1/16 - 27 NPTF - L3	PNPTF-L3005	0.28118	●
1/8 - 27 NPTF - L1	PNPTF-L101	1/8 - 27 NPTF - L3	PNPTF-L301	0.37360	●
1/4 - 18 NPTF - L1	PNPTF-L102	1/4 - 18 NPTF - L3	PNPTF-L302	0.49163	●
3/8 - 18 NPTF - L1	PNPTF-L103	3/8 - 18 NPTF - L3	PNPTF-L303	0.62701	●
1/2 - 14 NPTF - L1	PNPTF-L104	1/2 - 14 NPTF - L3	PNPTF-L304	0.77843	●
3/4 - 14 NPTF - L1	PNPTF-L106	3/4 - 14 NPTF - L3	PNPTF-L306	0.98887	●
1 - 11.5 NPTF - L1	PNPTF-L110	1 - 11.5 NPTF - L3	PNPTF-L310	1.23863	●
1 1/4 - 11.5 NPTF - L1	PNPTF-L112	1 1/4 - 11.5 NPTF - L3	PNPTF-L312	1.58338	●
1 1/2 - 11.5 NPTF - L1	PNPTF-L115	1 1/2 - 11.5 NPTF - L3	PNPTF-L315	1.82234	●
2 - 11.5 NPTF - L1	PNPTF-L120	2 - 11.5 NPTF - L3	PNPTF-L320	2.29627	●
2 1/2 - 8 NPTF - L1	PNPTF-L125	2 1/2 - 8 NPTF - L3	PNPTF-L325	2.76216	
3 - 8 NPTF - L1	PNPTF-L130	3 - 8 NPTF - L3	PNPTF-L330	3.38850	



NPTF 美制管用氣密栓規(6-STEP): ANSI B1. 20. 5

American Standard Dry Seal Taper Pipe Plug Gages

inch

規格 Specification	栓規產品編號 Plug Gages Serial No.	基準徑位置 Position of gage diameter OD	● 備有庫存 in stock
1/16 - 27 NPTF	MPNPTF-0005	0.2391	●
1/8 - 27 NPTF	MPNPTF-001	0.3315	●
1/4 - 18 NPTF	MPNPTF-002	0.4276	●
3/8 - 18 NPTF	MPNPTF-003	0.5622	●
1/2 - 14 NPTF	MPNPTF-004	0.6918	●
3/4 - 14 NPTF	MPNPTF-006	0.9010	●
1 - 11.5 NPTF	MPNPTF-010	1.1324	●
1 1/4 - 11.5 NPTF	MPNPTF-012	1.4759	●
1 1/2 - 11.5 NPTF	MPNPTF-015	1.7149	●
2 - 11.5 NPTF	MPNPTF-020	2.1878	●
2 1/2 - 8 NPTF	MPNPTF-025	2.6016	
3 - 8 NPTF	MPNPTF-030	3.2227	

● 有 ● 者備有庫存。
● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

PT : JIS B0253 BS21 R(Rc/Rp) : JIS B0253. ISO7/2 P-22

管用斜度螺紋規 Taper Pipe Thread Gages



PT 英制管用斜度螺紋規：JIS B0253附屬書(Annex). BS21
British Standard Taper Pipe Thread Gage

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	螺紋環規產品編號 Thread Ring Gages Serial No.	基準徑位置 (Position of gage diameter)		● 備有庫存 in stock
			OD	PD	
PT 1/8 Δ_1 (crest) 28	PPT-001	RPT-001	9.728	9.147	●
PT 1/4 Δ_1 (crest) 19	PPT-002	RPT-002	13.157	12.301	●
PT 3/8 Δ_1 (crest) 19	PPT-003	RPT-003	16.662	15.806	●
PT 1/2 Δ_1 (crest) 14	PPT-004	RPT-004	20.955	19.793	●
PT 3/4 Δ_1 (crest) 14	PPT-006	RPT-006	26.441	25.279	●
PT 1 Δ_1 (crest) 11	PPT-010	RPT-010	33.249	31.770	●
PT 1 1/4 Δ_1 (crest) 11	PPT-012	RPT-012	41.910	40.431	●
PT 1 1/2 Δ_1 (crest) 11	PPT-015	RPT-015	47.803	46.324	●
PT 2 Δ_1 (crest) 11	PPT-020	RPT-020	59.614	58.135	●
PT 2 1/2 Δ_1 (crest) 11	PPT-025	RPT-025	75.184	73.705	●
PT 3 Δ_1 (crest) 11	PPT-030	RPT-030	87.884	86.405	●
PT 3 1/2 Δ_1 (crest) 11	PPT-035	RPT-035	100.330	98.851	●
PT 4 Δ_1 (crest) 11	PPT-040	RPT-040	113.030	111.551	●
PT 5 Δ_1 (crest) 11	PPT-050	RPT-050	138.430	136.951	●
PT 6 Δ_1 (crest) 11	PPT-060	RPT-060	163.830	162.351	●

R (Rc/Rp) 管用斜度螺紋規：JIS B0253. ISO7/2
Taper Pipe Thread Gages

mm

規格 Specification	螺紋栓規產品編號 Thread Plug Gages Serial No.	螺紋環規產品編號 Thread Ring Gages Serial No.	基準徑位置 (Position of gage diameter)		● 備有庫存 in stock
			OD	PD	
R 1/16 Δ_1 (crest) 28	PRc(p)-0005	RRc(p)-0005	7.723	7.142	●
R 1/8 Δ_1 (crest) 28	PRc(p)-001	RRc(p)-001	9.728	9.147	●
R 1/4 Δ_1 (crest) 19	PRc(p)-002	RRc(p)-002	13.157	12.301	●
R 3/8 Δ_1 (crest) 19	PRc(p)-003	RRc(p)-003	16.662	15.806	●
R 1/2 Δ_1 (crest) 14	PRc(p)-004	RRc(p)-004	20.955	19.793	●
R 3/4 Δ_1 (crest) 14	PRc(p)-006	RRc(p)-006	26.441	25.279	●
R 1 Δ_1 (crest) 11	PRc(p)-010	RRc(p)-010	33.249	31.770	●
R 1 1/4 Δ_1 (crest) 11	PRc(p)-012	RRc(p)-012	41.910	40.431	●
R 1 1/2 Δ_1 (crest) 11	PRc(p)-015	RRc(p)-015	47.803	46.324	●
R 2 Δ_1 (crest) 11	PRc(p)-020	RRc(p)-020	59.614	58.135	●
R 2 1/2 Δ_1 (crest) 11	PRc(p)-025	RRc(p)-025	75.184	73.705	●
R 3 Δ_1 (crest) 11	PRc(p)-030	RRc(p)-030	87.884	86.405	●
R 4 Δ_1 (crest) 11	PRc(p)-040	RRc(p)-040	113.030	111.551	●
R 5 Δ_1 (crest) 11	PRc(p)-050	RRc(p)-050	138.430	136.951	●
R 6 Δ_1 (crest) 11	PRc(p)-060	RRc(p)-060	163.830	162.351	●

● 者備有庫存。
● means we have the item in stock.

※無庫存及特殊品，歡迎訂製。
No stock or special specifications are available on request.

